

## S6300 Series


**Electrified Architectural** Mortise Exit Devices

SDC's Spectra™ S6300 series electrified architecural mortise exit devices offer several electrified options to complement your access control system and meet virtually any application. UL listed and ANSI/BHMA A156.3 Grade 1 compliant, S6300 series devices comply with all national and state building and fire life safety codes.

Designed for a modern look and quiet push pad operation, \$6300 series devices are panic or fire rated exit devices in mortise configurations.

- · Electrified architectural design
- · Panic and fire rated devices
- · Durable stainless steel construction
- · Corrosion resistant
- · High traffic use

### **ORDERING GUIDE**



NOT REQUIRED

#### **EXAMPLES**

S6303PRRU36EEE	Mortise, Nightlatch, Panic, RHRB, 630, 36", Motorized ELR & Dogging	2,196.00
S6303PRRU42EEE	Mortise, Nightlatch, Panic, RHRB, 630, 42", Motorized ELR & Dogging	2,248.00
S6303PRRU48EEE	Mortise, Exit Only, Panic, RHRB, 630, 48", Motorized ELR & Dogging	2,300.00
S6303PRRU36EEMS	Mortise, Nightlatch, Panic, RHRB, 630, 36", Electrified Case, Failsecure	1,624.00
S6303FRRU36EEMF	Mortise, Nightlatch, Fire, RHRB, 630, 36", Electrified Case, Failsafe	1,759.00



563



**Eclipse Trim** 



**Galaxy Trim** 



Mortise Key Cylinder

### S6300 CONFIGURATION 1 of 2

\$63	Mortise	1,096.00
MODEL	•00000000	LIST\$

TRIM FUNCTION	0•0000000	ADD TO LIST
03	Key Retracts Latchbolt (Nightlatch)	N/C
08*	Key Locks/Unlocks Lever (Classroom)	N/C
14*	Lever Always Active (Passage)	N/C

<sup>\*</sup>Not applicable for use with S6300A or S6300B alarmed exit models.

RATING	00000000	ADD TO LIST
P	Panic Device <i>€</i> standard	N/C
F	Fire-Rated Device	135.00

HANDING	000•00000	ADD TO LIST
RR	Right Hand Reverse Bevel (RHRB)	N/C
LR	Left Hand Reverse Bevel (LHRB)	N/C

FINISH	000000000	ADD TO LIST
U	630 Dull Stainless & Standard	N/C

LENGTH	00000•0000	ADD TO LIST
36	36" Door Opening €standard	N/C
42	42" Door Opening	52.00
48	48" Door Opening	104.00

OPTIONS	0000000000	ADD TO LIST
R	Request-To-Exit (REX)	98.00
L	Latch Status (LS)	98.00

ELECTRIFICATION*	0000000000	ADD TO LIST
E	Motorized Electric Latch Retraction & Dogging	816.00
EM	Motorized Electric Latch Retraction & Dogging, External Module	876.00
G	Electric Dogging	524.00
Α	Alarmed Exit, Battery Powered	477.00
В	Alarmed Exit, Hardwired	524.00

 $<sup>{\</sup>it *Specify one electrification option only.}$ 

Continued on next page.

# COMPONENT CONSIDERATIONS

With a robust toolbox of over 35,000 SDC access & control components at your fingertips, you can add additional components to complement the products you're ordering and assemble a turnkey solution for almost any controlled door opening system imagined.



Keypads & Readers Page 101-105



Power Transfer Devices Page 141



Power Controllers Pages 142-153



Door Controllers Page 154



Door Prop Alarms & Annunciators Page 157-158

S6300 CONFIGURATION 2 of 2

TRIM*	00000000	ADD TO LIST
EE	Eclipse Escutcheon	284.00
GE	Galaxy Escutcheon	284.00

<sup>\*</sup>Key cylinder not included, order separately.

TRIM OPTIONS*	00000000	ADD TO LIST
MS	Electrified Case, Failsecure Outside Lever	244.00
MF	Electrified Case, Failsafe Outside Lever	244.00

### **RELATED PRODUCTS**

When you order any SDC products in this section, there are a number of related or complementary products that have proven to work well with your selection.

CYL-6KDQ	Mortise Cylinder, 6-Pin, 11/8" Length, Keyed Different	55.00
CYL-6KAQ	Mortise Cylinder 6-Pin, 11/8" Length, Keyed Alike	55.00
ST58P	Retrofit Strike, %" Centerline Offset	20.00
ST58F	Retrofit Strike, 5%" Centerline Offset, Fire-Rated	20.00

**84** | LIT-PL22\_041624